




Figure 1

TOCYTS OBSHOR





		•														• • • •	
	•	•								111111	HILL	man	HIL	114511	1	<u>ر</u>	
⁹ /	ΓΓ	87 eldalisV			485	31.5	282	103601		1	1105	1265	318	iii wasa Maran	1	C188122	
	1	21 eldahay	elititeissen 			1	1	_	-12	+-	 		$\neg \neg$:1:11:1:	1	Ŋ	
]	At aldahay			333	8 8	3 5	S CONTAIN		3.4.	2.51	3.31	6		1	10	
7	1	Et aldalay	FF-1914-17-17-1		6	e c	, [<u> </u>	4	┼-	-		1:21:1:	ł		
1304		Sraidahay			8	8	8 8	THE STATE OF		8 8	1.12	2	98'0	115:23	1		
1	1	it eldahay					4	_#	틝-	+-	+	10	10		: _≴		
		Of eldainsy			8	4.70	2,7	8	OTTO	8.6	18	5.8	2.76	inen Hile	4	`	
	1	e aldelse					_	- 2	좖	P 5	2 3	8	1.35	.	1		
		g skiels			12	2.38	2.08	2.81	1821280	E E	3 4	2.23	<u> </u>	1722.1		, ·	
		T eldaha	F11111571111111		-		$\overline{}$		큚	8 1	2 8	ğ	F	15325	.; -		
		3 eldeis			0.30	0.28	0.38	0.30	1020	8	2.0	· °	Ľ	1 .			
	1	2 sidalıs	DECISION NO.			\vdash			TO THE STATE OF	A	m (٠ ۵			[担	\forall	
	1	A eldain			4	4	۷	_			\bot	_	+	-[J	
-		Seldal:			S R	B	2.04	3.24		133	8 3	3 8	3 5	} <u></u>		Figure 4A	
	1				8	2.33	2	3	2			4	+	-		ين	
-	L	? eldett	•••		8	2.65	2.36	2.80	8	÷.	8	2.45	3 8	S N		江	
					8	2	2	2				4	+	\dashv			
						0	B	b	9	В	8	0	ا د	▫┃	工人	ې	
							+-	┼-		1		8	8	8	의	4030	
		•				2 8	92	5	10%	8	ន	<u>۾</u>			HIGH	j	
	•						100	1 8			19.00	18.00	1720	27 80		4028	
•				_		8 8	1900	18.60	EASTE OF	22.00				2	色	, 4	
			,	TOT \				11100	¥	(S)		W.(*)	(36)	19 S			
		7		- C			**: _	2000	į						2	402a	
	. : .	ble 4				ш	m	. .	4		.	m	U	ш	NO	. 2	osymmetrial
× * .	•			• •	- 1			1			╀	╀╌	-	H		·	
•	•	σ	5		. Anteres	۵	4	ا ۵	4	<u>د</u>	20	4	m	-	1		
		. <u>.</u> _					}		- 11		╂	十		\Box	. }		
•		Variat)		•	n	4	- □	٧	4	2 2	4	4			707	
				97		لــا				7						J	
				37	1					1	308						
										,	4						
																	•







Figure 5A






Figure 5B

2218917

file://D:\TEMP\Figure 20b - Ideal Case - Sorted by Patients gif

Ideal Case

500

Grouped on Genes




Figure 50

22189 V7

56

file://D:\TEMP\Figure 20c - Ideal Case - Groups on Genes.gif

12/17.






Figure BA

12(8917

file://D:\TEMP\Figure 18a - Random PatchGrid.gif

1 12




Figure 6 B

.

12/17

Electron TENERS I Shall Sorted PatchGrid.gif

69




Figure 6C

2218917

Lc

12/17/

file://D:\TEMP\Figure 18c - 2 Sorted PatchGrid.gif




Figure 6D

(1)

12/17

file://D:\TEMP\Figure 18d - 5 Sorted PatchGrid.gif

Figure BE





Figure 6F

22187,17

LE


12/17/0

Sign//DATEMPAFigure 18f - All Sorted PatchGrid.gif





•



Principal Uncorrelated Record Selection

Figure 7






Figure 8.


76 Principal Uncorrelated Genes



5 19./rs












Figure 11.A








Figure 118


LIP8122

















Figure 13AP

Ē.




Figure 13B




Figure 13C




Figure 13D







Figure 13年



213 July 136



Flyure 13G



Radial Layout

Transforming a rectangular to a radial layout








Figure 150















Fig. 16I




P. 1901 & 18




בנייזנה ום





76.20



indresse in the second









locy to be letter


Figura 26




.


* * *








Marce 31






Boundary

Figure 34


Reduced Genes



Chemical Structure

Benzodiazepines


Figure 36



AGDYZESE GEELOE

Figure 38

Radial Visualization Showing R3 & R4 Attributes 78.35 57.52 COHBN- C6HI 1-Figure 39 Assay 2



Flaur 40

